


# Special Systems





## Design Case

# Silent Gliss® 4120



### Product Information


- A perfect design element for contract and residential applications.
- To be used with following Silent Gliss Systems: Vertical blind Systems 2810, 2900, 2950; Electric Curtain Systems 5400, 5420; Panel Systems 2700, 2600, 2650; Roller Blind Systems 4800, 4810, 4810DF, 4850.
- Easy fitting to ceilings, wall or recess, also with hangers.
- Standard colours: aluminium anodized and white powder coated (RAL colours on demand)
- With special corner piece also for corner applications.
- System length is variable thanks profile connector.
- Visual harmonic effect through end and profile caps.




4120

## Profile Information


### Design Case Profile



### Profile Cover



## System Applications





- A: For Vertical Blind Systems 2900, 2950 and Folding Panel 2650 (with mounting profile 4127)
- B: For Vertical Blind System 2810 and Folding Panel 2600 (with mounting profile and distance piece 4122)
- C: For Electric Curtain System 5400 / 5420 / 5200 / 5220 (with mounting profile 4127 and distance piece 4122)
- D: For Panel Glide System 2700 / 2 channels (with mounting profile 4127 and distance piece 4123)
- E: For Panel Glide System 2700 / 3 channels (with mounting profile 4127 and distance piece 4123)
- F: For Roller Blind Systems 4800, 4810, 4810DF, 4850

## Fitting Options

### Ceiling Fitting with mini-hanger 6175





4120






X = The final distances from the wall/window depend on barriers like radiators, window handle, window ledge, etc.

### Ceiling Fitting with hanger 6190



The final distances from the wall/window depend on barriers like radiators, window handle, window ledge, etc.

## Wall Fitting with bracket 4125



## Standard Accessories

4122 Distance piece 15mm



4123 Distance piece 20mm



4124 Endcover



4127 Mounting profile



4128 Profile



4129 Profile Cover



6116 Connector



6125 Corner connection




6516 Connecting bridge




## Usefull Measurements


4122 Distance piece 15mm



4123 Distance piece 20mm



4127 Mounting profile



4120



4120



4120

[www.silentgliss.at](http://www.silentgliss.at)  
[www.silentgliss-russia.com](http://www.silentgliss-russia.com)  
[www.silentgliss-cee.com](http://www.silentgliss-cee.com)

Silent Gliss GesmbH  
Gewerbestraße 6  
A - 6710 Nenzing  
Tel. + 43 (0) 5525 64 111  
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH  
Jochen-Rindt-Straße 1  
A - 1230 Wien  
Tel. + 43 (0) 1 615 02 72  
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH  
Vertriebsbüro / Showroom  
Stubenring 6  
A – 1010 Wien  
Tel. +43 (0) 1 513 16 77  
Fax. +43 (0) 1 513 16 77-88