









Dim-Out Blind Systems



Application Chart

Dimensions			Operation	Features / Options	
		Cassette Options		Sloping-System / Horizontal-System	System
140 cm	120 cm	45 mm		bis 30°	4500
140 cm	140 cm	55 mm			
140 cm	120 cm	45 mm		bis 30°	4510
180 cm	180 cm	55 mm			
210 cm	240 cm	73 mm			
180 cm	180 cm	55 mm		bis 30°	4540
210 cm	240 cm	73 mm			
210 cm	280 cm	73 mm	 230 V		4550
140 cm	180 cm	73 mm		●	4590
140 cm	180 cm	73 mm	 230 V	●	4595





www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88