



Roman Blind Systems



Application Chart

Operation	Dimensions				Profile		Features / Options		Fitting Options			Fitting Surfaces			System
	max	max	m ² max	kg max	Profile Number	Dimensions in mm	Various Motor Options	Easy Washing	Ceiling Fix	Wall Fix	Window Frame Fix	Wood	Concrete	Suspended Ceiling	
	1 m	2 m	2	0.7 kg	2116		•		•	•	•	•	•	2090	
	1.8 m	3 m	5.4	2 kg	2116		•		•	•		•	•	2010	
	2 m	2.5 m	9	2 kg	2211		•		•	•		•	•	2210	
	2.5 m	3 m	7.5	3 kg	2116		•		•	•		•	•	2020	
	3 m	3 m	9	2.5 kg	2321		•		•	•		•	•	2320	
	3 m	3 m	9	4.5 kg	2321		•		•	•		•	•	2330	

Operation	Dimensions				Profile		Features / Options		Fitting Options			Fitting Surfaces		
	← max.	↑ max.	m ² max.	kg max.	Profile Number	Dimensions in mm	Various Motor Options	Easy Washing	Ceiling Fix	Wall Fix	Window Frame Fix	Wood	Concrete	Suspended Ceiling
	4 m	6 m	24	8 kg	2211			●	●	●		●	●	●
	6 m	6 m	36	15 kg	2351		●	●	●	●		●	●	●


System

2120

2350

Headrail Options


Standard



Fabric requirements:
System height + 20 cm
System width + 15 cm

Suitable for Silent Gliss
Roman-Blind-Systems:
2010, 2020, 2090, 2120,
2210, 2320, 2330, 2350


Standard Plus



Fabric requirements:
System height + 20 cm /
per cross rod + 5 cm
System width + 15 cm

Suitable for Silent Gliss
Roman-Blind-Systems:
2010, 2020, 2120, 2210,
2320, 2330, 2350


Romantik



Fabric requirements:
System height + 25 cm
System width x 2
per wave

Suitable for Silent Gliss
Roman-Blind-Systems:
2010, 2020, 2120, 2320,
2330, 2350

Vienna



Fabric requirements:
System height + 200 / 300%
System width x 2

Suitable for Silent Gliss
Roman-Blind-Systems:
2010, 2020, 2120, 2320,
2330, 2350

Delfina



Fabric requirements:
System height + 10 cm
System width + 10 cm

Suitable for Silent Gliss
Roman-Blind-Systems:
2010, 2020, 2090, 2120,
2210, 2320, 2330, 2350



www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88