



Room Divider Systems





Room Divider System

Silent Gliss® 6103




Product Information

- Attractive contemporary rounded profile shape whilst the system enjoys all flexibility and strength of the proven and universal room divider system 6100.
- For light, medium and heavy curtains in contract as well as residential applications.
- Attractive bendable profile combines mechanical strength and flexibility with the smoothest performance.
- Standard colours: anodised aluminium or white powder coated.
- Standard length of the profiles is 6 m.
- The design detail gives rigidity and strength with great flexibility in layout.
- Curtain lift device is available (see System 7010).
- A dust cover strip for upperside of profile reduces the risk of dust deposit.
- With profile connectors, there are almost no limits set to size and layouts.
- Easy ceiling or wall fixing. Ideal also for suspended fitting.
- Large and attractive fabric offer.
- All regular curtain heading systems as well as Wave and Wave XL can be applied with Silent Gliss 6103.



6103


Profile and Bending Information



Min. radius 28 cm
Wave XL: Min. radius 50 cm

How to measure

Stack size calculation Wave XL



a = Stack depth 35 cm
b = Stack size
c = Min. distance 22 cm


System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

System Layout Options




6103


Shower application corner and wall




Multiple bended applications




Multiple straight applications




Typical layout for hospital



Typical layout for hospital (with use of V-hangers)




Wave curtain heading system



Wave is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.




6103




The Wave components are:

- 3582 - Hook
- 6013 - Endstop
- 6345 - Glider cord 60 mm
- 6346 - Glider cord 80 mm
- 6349 - Curtain tape
- 6363 - Iron tape
- 6364 - Extension
- 6365 - Hanger
- 6366 - Carrier for draw rod
- 10075 - Lead weight 50 gr/m
- 10076 - Fabric weight
- 2255 - Brake comb.

Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.





The Wave XL components are:


- 2216 Cord 0,85 mm
- 6013 Endstop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6398 Clip
- 6399 Carrier for draw rod
- 2255 Brake comb.

Fixing Points



Hanger Positioning



Bracket Positioning



Ceiling fitting with Mini-hanger 6175





6175
Ceiling support

The final distances from the wall depend on curtain weight, make-up and any obstructions.

Min. distance from wall to middle of profile when using Wave XL: 22 cm.

Ceiling fitting with hanger 6190




6190
Hanger


The final distances from the wall depend on curtain weight, make-up and any obstructions.

Min. distance from wall to middle of profile when using Wave XL: 22 cm.

Ceiling fitting with V-hanger 6501



x (cm)
35-100



6501
V-hanger


The final distances from the wall depend on curtain weight, make-up and any obstructions.

Min. distance from wall to middle of profile when using Wave XL: 22 cm.




6103


Wall fitting with brackets 3080 - 3083



	X (mm)	Y (mm)
3080	52	60
3081	92	60
3082	142	80
3083	192	80




3080-83
Brackets




6116
Connector


Wall fitting with brackets 6133 - 6136 (1 channel)



	X (mm)	Y (mm)
6133	65	60
6134	115	60
6135	165	90
6136	215	90




6133-36
Brackets




6116
Connector


Wall fitting with double brackets 6126 - 6128 (2 channels)



	X (mm)	Y (mm)
6126	55	90
6127	105	90
6128	155	90






6126-28
Double bracket





6116
Connector

Wall fitting with wall support 6620




6620
Wall bracket


Profile connect with Connecting bridge 6121 for straight systems



6121
Connection plate





6116
Connector



6631
Connecting piece

Profile connect with Connecting bridge 6521 for bended systems



6521
Connecting bridge

Standard Accessories

3599 Hook



6065 Endstop



6083 Glider



6086 Spring stop



Optional Accessories

3581 Hook



3582 Hook



3598 Eyelet



6057 Glider



6096 Glider 6083 in strip form



6098 Roller



6110 Dust cover



6146 Hook (for shower curtains with eyelets)





6213 Clic-Glider



6283 Roller




6635 Internal connecting set




6103

Useful Measurements

6125 Corner connection



6630 Endcover





6103



6103

www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88