


Roman Blind Systems





Roman Blind System

Silent Gliss® 2210




Product Information

- Chain operated, patented Roman blind system for residential and contract applications.
- Suitable for small to medium size applications
- Extremely smooth and easy operation.
- Blind stops at any required height without slippage.
- Unmatched comfort in the removal of the fabric (Velcro tape) for washing/maintenance.
- Very elegant appearance as profile, all hardware components and the operation chain are hidden behind the blind.
- Maximum dimensions are 300 cm for the width, and 300 cm for the height.
- The weight of the blind including the bottom weight and cross rods (if hard fold) should never exceed 2 kg.
- The top stack of the fabric takes up about 15-20% of the blind drop (depending on fabric make-up).
- Easy ceiling or wall fix to all surfaces.
- Delivered ready assembled. Large and attractive fabric offer.



2210

Profile and Bending Information



Only for straight systems.

System Dimensions



2 m



2,5 m




2 kg (inkl.
Beschwerungsprofil)

The system dimensions depend on the total fabric weight including the bottom weight bar.

Fitting Information



Bracket Positioning



2210

Fitting Options


Ceiling fitting with bracket 3603




3603
Bracket

The final distances from the wall depend on curtain make-up and any obstructions.


Wall fitting with brackets 3655 and 3660



	X (mm)
3655	58
3660	73




3655
Bracket




3660
Bracket


Wall fitting with brackets 3134-39 and bracket 3603




	X (mm)
3134	80
3135	100
3136	120
3137	140
3138	170
3139	220



3133
Bracket cover



3134-39
Brackets



3603
Bracket

Standard Accessories

1003	Profile		2016	Weight bar	
2049	Gear drive		2093	Ring	
2101	Eyelet		2179	Endcover	
2201	Eyelet		2212	Bearing	
2213	Bearing		2215	Eyelet	
2216	Cord		2227	Pin	
2539	Tape		2872	Plastic bead chain	
3055	Hook		3074	Loop tape (delivery only with fabric)	

2210



2210



2210

www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing

Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien

Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien

Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88