



Cord Operated Curtain Track Systems





Cord Operated Curtain Track System

Silent Gliss® 1014




Product Information

- Cord operated curtain track system for residential applications.
- Ideal for sloped and arched applications.
- Maximum system width 6 m. Exact dimensions depend on fabric weight and application.
- For straight and bended applications, with single, double or multiple symmetrical stacks.
- Easy fixing to timber and concrete ceilings.
- Profile is pre-drilled every 30 mm.
- Standard colours: anodised aluminium or white powder coated.
- Standard length of the profiles is 6 m.
- Large and attractive fabric offer.



1014

Profile and Bending Information




1014



Min. radius 20 cm

How to Measure



A: System width
B: Cord height

System Dimensions



6 m




12 kg

Max. Curtain Weight Chart


	1 m	2 m	3 m	4 m	5 m	6 m
	9	8	8	7	7	6
	12	12	11	10	9	8
	6	5	5	4	3	-
	7	6	6	5	4	-
	4	3	3	2	2	-
	6	5	4	4	3	-

(kg max.)

Fixing Points / Tools



Silent Gliss Tool that provides more efficiency and avoids damages to the track




A: Centomat 7200
 B: Magazine 3412 with 50 screws / 12 mm
 C: Magazine 3418 with 50 screws / 18 mm

Fitting Options


CAD download through Silent Gliss Extranet / Downloads

Direct to timber ceiling fixing



The final distances from the wall depend on curtain weight, make-up and any obstructions.

Ceiling fix with bracket 3114



3114
Bracket

The final distances from the wall depend on curtain weight, make-up and any obstructions.



1014

Standard Accessories

3085	Spring stop		3340	Cord/Chain weight	
3533	Glider		3599	Hook	

Optional Accessories

3070	End stop		3534	Glider 3533 in strip form	
3537	Glider		3548	Clic-glider	
3549	Clic-hookglider		3582	Hook	

3598 Eyelet



1014



1014

www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88