



Cord Operated Curtain Track Systems





Cord Operated Curtain Track System

Silent Gliss® 1016




Product Information

- Two channel cord operated curtain track system for residential and contract applications.
- Elegant and bendable profile, ideal for sloped and arched applications.
- For light and medium weight applications.
- Maximum system width 6 m. Exact dimensions depend on fabric weight and application.
- For straight and bended applications with single, double or multiple symmetrical stacks.
- Easy fixing to all types of ceilings.
- Profile is pre-drilled every 40 cm.
- Standard colours: anodised aluminium or white powder coated.
- Standard length of the profiles is 6 m.
- Large and attractive fabric offer.



1016

Profile and Bending Information




1016



Min. radius 25 cm

How to measure



A: System width
B: Cord height

System Dimension



6 m




12 kg

Max. Curtain Weight Chart


	1 m	2 m	3 m	4 m	5m	6m
	10	9	9	8	7	7
	12	11	11	10	9	9
	7	6	5	5	4	-
	8	7	6	6	5	-
	5	4	4	3	3	-
	7	6	5	5	4	-

(kg max.)

Fixing Points



Direct to ceiling fitting










The final distances from the wall depend on curtain weight, make-up and any obstructions.

Standard Accessories

3085	Spring stop		3340	Cord/Chain weight	
3533	Glider		3599	Hook	

Optional Accessories

3070	End stop		3534	Glider 3533 in strip form	
3537	Glider		3548	Clic-glider	
3549	Clic-hookglider		3582	Hook	
3598	Eyelet				



1016



1016



1016

www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88