



Cord Operated Curtain Track Systems





Cord Operated Curtain Track System

Silent Gliss® 3000





Product Information

- Universal cord operated curtain track system for residential and contract applications.
- For medium weight curtains.
- Maximum system width 6 m. Exact dimensions depend on fabric weight and application.
- For straight and bended applications with single, double or multiple symmetrical stacks.
- Standard colours: anodised aluminium or white powder coated.
- Standard length of the profiles is 6 m.
- Easy ceiling or wall fix to all surfaces.
- Delivered ready assembled. Large and attractive fabric offer.




3000

Profile and Bending Information



How to measure



A: System width
B: Cord height

System Dimensions



6 m



15 kg


Max. Curtain Weight Chart



	1 m	2 m	3 m	4 m	5 m	6 m
	15	15	14	14	13	13
	15	15	14	14	13	13
	11	10	9	7	6	5
	11	10	9	7	6	5
	6	5	5	4	4	3
	6	5	5	4	4	3
	5	4	4	3	3	2
	5	4	4	3	3	2

(kg max.)



Fixing Points



Fitting Options


CAD download through Silent Gliss Extranet / Downloads

Ceiling fitting with bracket 3603





The final distances from the wall depend on curtain weight, make-up and any obstructions.

Ceiling fitting with bracket 3603 and double arms 3272-3274




	x (mm)
3272	69
3273	92
3274	122






The final distances from the wall depend on curtain weight, make-up and any obstructions.




Wall fitting with universal brackets 3630/3655/3660






	X (mm)
3630	39
3655	54
3660	69




Wall fitting with brackets 3134-39 and bracket 3603




	X (mm)
3134	76
3135	96
3136	116
3137	136
3138	166
3139	216




Wall fitting with adjustable bracket support 3271, bracket plates 3272-74 and bracket 3603




	X (mm)
3271/3272	84-119
3271/3273	119-134
3271/3274	134-169



3271
Bracket support



3272-74
Bracket plates



3603
Bracket

Standard Accessories

3085 Spring stop



3340 Cord/Chain weight



3533 Glider



3599 Hook



Optional Accessories

3070 End stop



3534 Glider 3533 in strip form



3537 Glider



3548 Clic-glider



3549 Clic-hookglider



3582 Hook



3598 Eyelet



3000



3000

www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88