



Cord Operated Curtain Track Systems





Cord Operated Curtain Track System

Silent Gliss® 6120




Product Information

- Cord operated curtain track system for contract as well as residential use.
- For light and medium weight curtains.
- The maximum width is 6 m. The maximum dimension of the system depends on fabric weight and application.
- Easy ceiling or wall fixing.
- The system is bendable.
- Elegant round look of the profile. It is available in various finishes.
- Strong and elegant appearance.
- Standard colours: anodised aluminium or white powder coated.
- Standard length of the profiles is 6 m.
- Delivered ready assembled. Large and attractive fabric offer.
- All regular curtain heading systems as well as Wave and Wave XL can be applied with Silent Gliss 6120.



6120

Profile and Bending Information




6106




Min. radius 30 cm
Wave XL: Min. radius 50 cm

How to measure



A: System width
B: Cord height

Stack size calculation Wave XL



a = Stack depth 35 cm
b = Stack size
c = Min. distance 22 cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
System width	b	28	33	38	43	48	53	58	63	68
System width		396-431	432-468	469-503	504-539	540-575	576-600			
System width	b	73	78	83	88	93	98			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
System width	b	28	33	38	43	48	53	58		

(dimensions in cm)

6120

System Dimensions



6 m



14 kg

Max. Curtain Weight Charts

Standard Application with Glider

	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7
	10	10	9	9	8	8
	7	7	6	6	5	5
	8	8	7	7	6	6
	4	4	3	3	2	2
	5	5	4	4	3	3
	3	3	2	2	1	1
	4	4	3	3	2	2

(kg max.)

Standard Application with Roller

	1 m	2 m	3 m	4 m	5 m	6 m
	12	11	11	11	10	10
	13	13	12	11	11	10
	9	8	8	8	7	7
	10	9	9	9	8	8
	6	5	5	5	4	4
	7	6	6	6	5	5
	5	4	4	4	3	3
	6	5	5	5	4	4

(kg max.)

Max. Curtain Weight Chart Wave / Wave XL

Option Wave / Wave XL

	2 m	3 m	4 m	5 m	6 m
	5	7.5	8	7	7
	5	7.5	8	8	8
	5	6	6	5	5
	5	6	6	6	6
	4	3	3	2	2
	4	4	4	3	3
	3	2	2	1	1
	3	3	3	2	2


(load limitation max. 2.5 kg per m)




6120

System Options

Wave Curtain heading system




Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.




The Wave components are:

- 3582 - Hook
- 6013 - Endstop
- 6345 - Glider cord 60 mm
- 6346 - Glider cord 80 mm
- 6349 - Curtain tape
- 6363 - Iron tape
- 6364 - Extension
- 6365 - Hanger
- 6366 - Carrier for draw rod
- 10075 - Lead weight 50 gr/m
- 10076 - Fabric weight
- 2255 - Brake comb.

Wave XL curtain heading system




Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.





The Wave XL components are:

- 2216 Cord 0,85 mm
- 6013 Endstop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6398 Clip
- 6399 Carrier for draw rod
- 2255 Brake comb.

Fixing Points




Ceiling fitting with Mini-Hanger 6175





The final distances from the wall depend on curtain weight, make-up and any obstructions.

Min. distance from wall to middle of profile when using Wave XL: 22 cm.


Wall fitting with brackets 3080-3083





	X (mm)
3080	52
3081	92
3082	142
3083	192



Wall fitting with brackets 6133-6136







	X (mm)	Y (mm)
6133	65	60
6134	115	60
6135	165	90
6136	215	90



Standard Accessories

3340	Cord/Chain weight		3599	Hook	
6086	Spring stop		6283	Roller	

Optional Accessories

3581	Hook		3582	Hook	
3598	Eyelet		6057	Glider	

6065 Endstop



6083 Glider



6096 Glider 6083 in strip form



6213 Clic-Glider



6120



6120



6120



6120

www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88