

Electric Curtain Track Systems





Application Chart

Dimensions		Applications				Profile	Features / Options						Fitting Options	Fitting Surfaces	System									
← max. →	kg max.	Single Stack	Pair Stack	Multiple Stack	Arched	Heavy Duty	Profile Number	Dimensions in mm	Gliding Channel	Recess Profile available	Min. Bending Radius (mm)	Rollers applicable	Various Motor Options	Manual override		Design Case available	System Option Wave	System Option Waxe XL	Ceiling Fix	Recess Fix	Wall Fix	Wood	Concrete	Suspended Ceiling
5 m	17 kg	●	●				2191		5.4	250	●	●	●	●	●	●	●	●	●	●	●	●	●	5090
10 m	36 kg	●	●	●			2191		5.4	250	●	●	●	●	●	●	●	●	●	●	●	●	●	5200
10 m	36 kg	●	●	●	●		5141		5.4	500	●	●			●			●	●	●	●	●	●	5220
10 m	44 kg	●	●	●			2191		5.4	250	●	●	●	●	●	●	●	●	●	●	●	●	●	5400
10 m	44 kg	●	●	●	●		5141		5.4	500	●	●			●			●	●	●	●	●	●	5420
25 m	74 kg	●	●	●	●	●	5301		5.4	500	●							●	●	●	●	●	●	5300
60 m	280 kg	●	●	●		●	5810		10	500	nur Roller									●	●	●	●	5800



Weight Graphs for Electric Curtain Track Systems



www.silentgliss.at
www.silentgliss-russia.com
www.silentgliss-cee.com

Silent Gliss GesmbH
Gewerbestraße 6
A - 6710 Nenzing
Tel. + 43 (0) 5525 64 111
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH
Jochen-Rindt-Straße 1
A - 1230 Wien
Tel. + 43 (0) 1 615 02 72
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH
Vertriebsbüro / Showroom
Stubenring 6
A – 1010 Wien
Tel. +43 (0) 1 513 16 77
Fax. +43 (0) 1 513 16 77-88