



# Hand Operated Curtain Track Systems





## Hand Operated Curtain Track System

# Silent Gliss® 6380




### Produktmerkmale

- Universal hand operated curtain track for medium to heavy curtains in contract applications.
- Elegant, yet strong profile with concealed channel. Bendable.
- Fixing to wall or ceiling.
- Standard colours: anodised aluminium or white powder coated.
- Standard length of the profiles is 6 m.
- Large and attractive fabric offer.
- All regular curtain heading systems as well as Wave and Wave XL can be applied with Silent Gliss 6380.




6380

## Profile and Bending Information




Min. radius: 20 cm  
Wave XL: Min. radius 50 cm

## Stack size calculation Wave XL




a = Stack depth 35 cm  
b = Stack size  
c = Min. distance 22 cm


System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

## System Options

### Wave curtain heading system




Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.




The Wave components are:

- 3582 - Hook
- 6013 - Endstop
- 6345 - Glider cord 60 mm
- 6346 - Glider cord 80 mm
- 6349 - Curtain tape
- 6363 - Iron tape
- 6364 - Extension
- 6365 - Hanger
- 6366 - Carrier for draw rod
- 10075 - Lead weight 50 gr/m
- 10076 - Fabric weight
- 2255 - Brake comb.

## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



The Wave XL components are:

- 2216 Cord 0,85 mm
- 6013 Endstop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6398 Clip
- 6399 Carrier for draw rod
- 2255 Brake comb.

### Fixing Points




6380

### Fitting Options

CAD download through Silent Gliss Extranet / Downloads


#### Ceiling fitting with bracket 3603





The final distances from the wall depend on curtain weight, make-up and any obstructions.

Min. distance from wall to middle of profile when using Wave XL: 22 cm.

## Ceiling fitting with double bracket 3272-3274 and bracket 3603




	X (mm)
3272	52
3273	75
3274	105






The final distances from the wall depend on curtain weight, make-up and any obstructions.

Min. distance from wall to middle of profile when using Wave XL: 22 cm.


## Wall fitting with brackets 3630, 3655 and 3660






	X (mm)
3630	35 mm
3655	50 mm
3660	65 mm






## Wall fitting with extension brackets 3134-3139 and bracket 3603




	X (mm)
3134	72
3135	92
3136	112
3137	132
3138	162
3139	212






## Wall fitting with bracket support 3271 and bracket 3603 (fixed distance)



## Wall fitting with bracket support 3271 and brackets 3272-3274 and 3603 (variable distance)



	X (mm)
3271/3272	78-113
3271/3273	103-133
3271/3274	133-163



## Standard Accessories

3599 Hook



6065 Endstop



6083 Glider



6086 Spring stop



## Optional Accessories

3581 Hook



3598 Eyelet



6057 Glider



6096 Glider 6083 in strip form



6098 Roller



6213 Clic-Glider




6283 Roller




## Useful Measurements

3620 Connecting bridge



6381 Endcover



6380

[www.silentgliss.at](http://www.silentgliss.at)  
[www.silentgliss-russia.com](http://www.silentgliss-russia.com)  
[www.silentgliss-cee.com](http://www.silentgliss-cee.com)

Silent Gliss GesmbH  
Gewerbestraße 6  
A - 6710 Nenzing  
Tel. + 43 (0) 5525 64 111  
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH  
Jochen-Rindt-Straße 1  
A - 1230 Wien  
Tel. + 43 (0) 1 615 02 72  
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH  
Vertriebsbüro / Showroom  
Stubenring 6  
A – 1010 Wien  
Tel. +43 (0) 1 513 16 77  
Fax. +43 (0) 1 513 16 77-88