


# Pleated Blind Systems





## Pleated Blind Systems

# Silent Gliss® 8500



### Product Information

- Acknowledged as technically the most advanced and the most reliable system on the market.
- Comprehensive range of shapes and stacking for all uses including conservatories and roof lights.
- Small stacking dimension makes it ideal for restricted areas, (can be fitted inside frame giving better heat reflection).
- Varied operating methods including electric.
- Attractive fabric range including blackout and aluminium backing for heat reflection. 20mm pleats; all are washable and anti-static.
- Delivered made-to-measure to your exact requirements.
- Standard colours for headrail and accessories: white, anthracite-metallic, silver-grey and dark brown.
- Radio control option available.



8500

## Pleated Blinds


Please see details in the current Pleated Blind Collection.

## How to Measure

Measurements should be undertaken by a fully trained Silent Gliss specialist.

## System Options and Dimensions

A: Vertical-freehanging




200 cm\*



250 cm\*  
Duette 300 cm

B: Vertical-side-guide




125 cm\*



250 cm\*  
Duette 300 cm

D: Inclined




125 cm\*



250 cm\*  
Duette 300 cm

P: Horizontal



250 cm\*




400 cm\*  
Duette 300 cm

\*not all shapes.


## Fitting Information




8500




D1




W2




S1




S3




W1



K1



S2







































M1

- D1: Standard - Top fix
- W1: Standard - Wall fix
- W2: Wall fix - extension bracket
- K1: Wall fix - PVC windows
- S1: Inside recess fix 90° / 96° with side-guide profile
- S2: Inside recess fix 105° with side-guide profile
- S3: Inside recess fix - U shape with side-guide profile
- M1: Mounting profile

Blind Type

Operation


















































Model



Blind Type

Operation

Model



8500



8500

[www.silentgliss.at](http://www.silentgliss.at)  
[www.silentgliss-russia.com](http://www.silentgliss-russia.com)  
[www.silentgliss-cee.com](http://www.silentgliss-cee.com)

Silent Gliss GesmbH  
Gewerbstraße 6  
A – 6710 Nenzing

Tel. + 43 (0) 5525 64 111  
Fax. + 43 (0) 5525 63 170

Silent Gliss GesmbH  
Jochen-Rindt-Straße 1  
A – 1230 Wien

Tel. + 43 (0) 1 615 02 72  
Fax. + 43 (0) 1 615 02 72-88

Silent Gliss GesmbH  
Vertriebsbüro / Showroom  
Stubenring 6  
A – 1010 Wien

Tel. +43 (0) 1 513 16 77  
Fax. +43 (0) 1 513 16 77-88